



3.4.3 Standard Edition - Installing MobileAsset on the Mobile Device

1. Connect your MobileDevice to the PC which has MobileAsset installed on it. (Microsoft ActiveSync must be installed on this PC.)
2. In MobileAsset, select **Mobility > Windows Mobile/CE Setup**.




3. If this application detects that MobileAsset is not yet installed on the mobile device, the following message appears:



Click **OK** on this screen to proceed.

- When the installer file is copied to your mobile device, the following screen appears:



Click **OK** on this screen to close it.

- On your mobile device, you should see this screen:




Click the **Start** button.

6. A screen will appear asking if you want to install to the device or Flash Storage. Do not install to Flash storage. Select **Device**, then tap the **Install** button.



7. A confirmation screen will appear as the files are successfully installed.



Click **OK** to continue.

8. Repeat steps 6 and 7 as needed to complete the install. Watch your mobile device screen for prompts.

Log in to MobileAsset -

The first time you log in to MobileAsset the Service URL will appear. You should not change this address. Enter your device name and your MobileAsset user name and password. Below is an example of the **Log in** screen. When you are done entering information, tap **OK**.


The screenshot shows a mobile application interface for logging into MobileAsset. At the top, there is a status bar with the text 'MobileAsset' on the left and icons for signal strength, volume, battery, and the time '8:37' on the right. Below the status bar, the title 'Log into MobileAsset' is displayed. The main content area contains four input fields stacked vertically: 'Service Url' (with a grey background and the text 'http://10.1.7.58:10008'), 'Device Name', 'User Name', and 'Password'. Below these fields are two buttons: 'OK' and 'Exit'. At the bottom left of the screen, the text 'Version: 7.00' and 'Build: 4.16.2014.245' is visible.

- **Service URL** - This field auto populates based on the IP or FQDN (Fully Qualified Domain Name) detected when you installed MobileAsset on your PC. The **Service URL** is the IP or FQDN followed by the port number for MobileAsset, usually 10008. The **Service URL** is pinned by default. If you need to modify the Service URL, you can unpin it by tapping on the grey field name. This will unpin the field allowing you to edit the URL information. Editing the URL is not recommended unless told to do so by Wasp Support.
- **Device Name** - Enter a unique name here for this mobile device.


If this device has previously been setup on MobileAsset with a different Device Name, a message will appear. Click **Yes** to use the previous name, click **No** to change the device name.

- **User Name** - Enter your MobileAsset user name.
- **Password** - Enter your MobileAsset password.

9. Next the following message appears.



This message allows you to change the default pathway for the database, if needed. The default pathway is **Program Files/MobileAsset/database**. Tap **Yes** to accept the default path. If you need to change it, because there is not enough room on your mobile device, for example, tap **No**. The following **Browse** screen appears:



Browse to a new location, then tap **Select**.

10. **Time Discrepancy** - This screen may appear if MobileAsset detects a discrepancy between the time set on the MobileAsset server and the time set on this device. **You should adjust the time on your device to match the server before you start performing transactions on your device.** Click **OK** on this screen to close it.

The [Mobile Asset Main Menu](#) will appear.